

NHS Breast Screening Standards
Breast Test Wales, All Wales, 2002-03

Pritchard	Criteria		Actual	Minimum	Target
1	Attend for screening - %	1st Invitation	75.0		
		Prevalent	55.4		
		Incident	86.8		
		All Invited	77.6	≥70	-
2a	Invasive cancer detection rate per 1,000	Prevalent	5.99	≥2.7	≥3.6
		Incident	6.20	≥3.0	≥4.0
2b	Insitu cancer detection rate per 1,000	Prevalent	2.02	≥0.4 - ≤0.9	-
		Incident	1.42	≥0.5 - ≤1.0	-
2c	SDR	Prevalent	1.53	≥0.75	≥1.0
		Incident	1.55		
3	No. of invasive cancers <15mm per 1,000	Prevalent	3.10	≥1.5	≥2.0
		Incident	3.45	≥1.65	≥2.2
7a	Referred for assessment - % of women screened	Prevalent	7.4	<10	<7
		Incident	4.0	<7	<5
7b	Early recall - % of women screened	Prevalent	0.23	<1	≤0.25
		Incident	0.11		
8	Non-operative diagnosis of cancer - %	Prevalent	88.3	≥70	≥90
		Incident	92.5		
9	Benign biopsies per 1,000	Prevalent	2.45	<3.6	<1.8
		Incident	0.90	<2.0	<1.0